





NOTE: * DIMENSIONS OF SOCKET FEATURES SHOWN. BOARD DESIGNER SHOULD SELECT APPROPRIATE HOLE SIZES TO PROVIDE A SLIP FIT FOR THESE FEATURES.



FOOTPRINT AS VIEWED FROM TOP OF SOCKET

PROPRIETARY

PART NUMBER
68QN40S18080

SIZE: C
DWG NO.: 68QN40S18080
SH: 1/1

TITLE: OFN SOCKET; 8 x 8mm, 0.40mm-PITCH; 68 CONTACTS PLUS SPRING PROBE CENTER PIN; THRU-HOLE

UNLESS OTHERWISE SPECIFIED
 XXXX = 4.003 SURFACE
 XX = 4.010 FINISH
 ALL DIM ARE IN INCHES
 ALL DIM (XX) ARE MILLIMETERS
 REMOVE ALL BARS AND
 SHAPE EDGES
 ANGLE = 45
 HOLE TOLERANCES
 .125 THRU .150 = +.004 -.001
 .151 THRU .250 = +.005 -.001
 .251 THRU .500 = +.006 -.001
 .501 THRU 1.00 = +.010 -.001
 1.001 THRU 2.00 = +.012 -.001

SCALE: NONE DATE:
 DWG: LKI 051607
 CHK: ENGR
 APP'D:

ASTRONOS 2601 TEMAS DRIVE
 IRVING, TX 75062

THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE. PLEASE REQUEST A CURRENT DRAWING WHEN LAYING OUT BOARDS.

FEATURES = OFFSET CONTACT = SPRING PROBE CENTER PIN

DATE	INT
062707	LKI